

BiBox

Sanitary manifold box.
Classic flush wall
installation.



CT3827.00 August 2021

- Reversible and telescopic frame
- Suitable for classic installations with external cover plate or flush with the wall
- Bottom depth 80-92 mm
- Frame adjustment stroke 35 mm

PATENT PENDING

PRODUCTION RANGE

Code	Size LxH mm
3827.29.00	290x270
3827.39.00	390x270
3827.49.00	490x270

CONSTRUCTION FEATURES

Presence of 3 guides for the manifold support to be secured.
On all sides there are removable inserts for the pipes to be passed.
Threads M6 pitch 1 to adjust the telescopic frame.
On the external part of the bottom there is a grid to facilitate adhesion of the mortar in masonry works.
Pre-holes for suitable dowels or screws to be used to be secured in the plasterboard or accessory use.
Removable frame (12 mm).
Brackets for fixing manifolds supplied separately.


SPECIFICATIONS

3827 SERIES


3827 series box for sanitary manifold suitable for classic installation with an external plate and flush with the wall; reversible and telescopic frame; can also be inserted in walls constructed with 8 cm box plastered on both sides; can be inserted in plasterboard with 75 mm or longer uprights.

OVERALL DIMENSIONS


code 3827.29.00
CLASSIC INSTALLATION




code 3827.29.00
FLUSH WALL INSTALLATION




code 3827.39.00
CLASSIC INSTALLATION




code 3827.39.00
FLUSH WALL INSTALLATION



code 3827.49.00
CLASSIC INSTALLATION




code 3827.49.00
FLUSH WALL INSTALLATION



BOX 290X470

BOX 390X470

BOX 490X470



RBM spa reserves the right to improve and change the products described and relevant technical data at any moment and without prior notice. The information and pictures contained in this document are intended for information purposes only, are not binding and do not exempt the user in any case from strictly following the regulations in force and good practice standards.